

Bellows Seal


B01

Stock code: N-B01-xxxx-xxxx

Rotary Face	Stationary Face	Elastomer	Build Code [^]
A - Carbon or D - Silicon Carbide (RB)*	B - Alumina Ceramic or D - Silicon Carbide (RB)*	X - Nitrile (BUNA) or Y - EPDM (EPDM) or Z - Viton (FPM)	1 P Q

*Availability subject to order quantity

[^]Build Code 1 = Complete Seal, P = Rotary Only, Q = Stationary Only



Size	d1		d3		d7		l1		l4	
	Metric	Inches	Metric	Inches	Metric	Inches	Metric	Inches	Metric	Inches
0080	8.0	0.315	24.0	0.945	26.0	1.024	11.0	0.433	8.0	0.315
0080-B	8.0	0.315	20.0	0.787	18.0	0.709	11.0	0.433	4.8	0.189
0080-D	8.0	0.315	20.0	0.787	22.0	0.866	11.0	0.433	4.2	0.165
0100	10.0	0.394	24.0	0.945	26.0	1.024	11.0	0.433	8.0	0.315
0110	11.0	0.433	24.0	0.945	26.0	1.024	11.0	0.433	8.0	0.315
0120	12.0	0.472	24.0	0.945	26.0	1.024	11.0	0.433	8.0	0.315
0120-B	12.0	0.472	24.0	0.945	26.0	1.024	13.0	0.512	8.0	0.315
0120-C	12.0	0.472	32.0	1.260	35.0	1.378	13.0	0.512	8.0	0.315
0120-D	12.0	0.472	24.0	0.945	26.0	1.024	11.0	0.433	6.6	0.260
0120-E	12.0	0.472	24.0	0.945	25.0	0.984	11.0	0.433	5.0	0.197
0130	13.0	0.512	24.0	0.945	26.0	1.024	13.0	0.512	8.0	0.315
0130-B	13.0	0.512	24.0	0.945	26.0	1.024	11.0	0.433	5.6	0.220
0130-C	13.0	0.512	24.0	0.945	26.0	1.024	15.0	0.591	8.0	0.315
0130-D	13.0	0.512	24.0	0.945	25.0	0.984	16.4	0.646	7.8	0.307
0140	14.0	0.551	32.0	1.260	35.0	1.378	13.0	0.512	8.0	0.315
0140-B	14.0	0.551	28.0	1.102	26.0	1.024	13.0	0.512	8.0	0.315
0140-C	14.0	0.551	32.0	1.260	29.5	1.161	13.0	0.512	8.0	0.315
0150	15.0	0.591	35.0	1.378	38.0	1.496	13.0	0.512	8.0	0.315
0150-B	15.0	0.591	35.0	1.378	29.5	1.161	13.0	0.512	8.0	0.315
0150-C	15.0	0.591	32.0	1.260	29.5	1.161	13.0	0.512	8.0	0.315
0160	16.0	0.630	35.0	1.378	38.0	1.496	13.0	0.512	8.0	0.315
0160-B	16.0	0.630	39.0	1.535	42.0	1.654	13.0	0.512	8.0	0.315
0160-C	16.0	0.630	35.0	1.378	29.5	1.161	13.0	0.512	8.0	0.315
0170	17.0	0.669	39.0	1.535	42.0	1.654	13.0	0.512	8.0	0.315
0180	18.0	0.709	39.0	1.535	42.0	1.654	13.0	0.512	8.0	0.315
0190	19.0	0.748	39.0	1.535	42.0	1.654	13.0	0.512	8.0	0.315
0200	20.0	0.787	39.0	1.535	42.0	1.654	13.0	0.512	8.0	0.315
0200-B	20.0	0.787	42.0	1.654	45.0	1.772	13.0	0.512	10.0	0.394
0200-C	20.0	0.787	34.8	1.370	35.0	1.378	16.0	0.630	7.5	0.295
0220	22.0	0.866	42.0	1.654	45.0	1.772	13.0	0.512	10.0	0.394
0230	23.0	0.906	47.0	1.850	50.0	1.969	13.5	0.531	10.0	0.394
0240	24.0	0.945	47.0	1.850	50.0	1.969	13.5	0.531	10.0	0.394
0250	25.0	0.984	47.0	1.850	50.0	1.969	13.5	0.531	10.0	0.394
0250-B	25.0	0.984	42.0	1.654	50.0	1.969	13.3	0.524	10.0	0.394
0250-C	25.0	0.984	42.0	1.654	40.0	1.575	13.3	0.524	7.5	0.295
0250-D	25.0	0.984	42.0	1.654	40.0	1.575	12.8	0.504	6.0	0.236
0250-E	25.0	0.984	47.0	1.850	57.0	2.244	13.5	0.531	7.0	0.276
0254	25.4	1.000	47.0	1.850	57.0	2.244	13.5	0.531	10.0	0.394
0280	28.0	1.102	54.0	2.126	57.0	2.244	15.0	0.591	10.0	0.394
0300	30.0	1.181	54.0	2.126	57.0	2.244	15.0	0.591	10.0	0.394
0320	32.0	1.260	54.0	2.126	57.0	2.244	15.0	0.591	10.0	0.394
0350	35.0	1.378	60.0	2.362	63.0	2.480	16.0	0.630	10.0	0.394
0380	38.0	1.496	65.0	2.559	68.0	2.677	17.0	0.669	12.0	0.472
0400	40.0	1.575	65.0	2.559	68.0	2.677	17.0	0.669	12.0	0.472
0450	45.0	1.772	70.0	2.756	73.0	2.874	20.0	0.787	12.0	0.472
0500	50.0	1.969	85.0	3.346	88.0	3.465	24.0	0.945	15.0	0.591
0550	55.0	2.165	85.0	3.346	88.0	3.465	24.0	0.945	15.0	0.591
0600	60.0	2.362	105.0	4.134	110.0	4.331	30.0	1.181	15.0	0.591
0650	65.0	2.559	105.0	4.134	110.0	4.331	30.0	1.181	15.0	0.591
0700	70.0	2.756	105.0	4.134	110.0	4.331	30.0	1.181	15.0	0.591

